



MULTI HF

Multifunction Hydraulic Fluid for power steering, hydraulic dampers, suspensions, hard top and hydraulic central systems.

SYNTHETIC

TYPE OF USE

Multifunction high performance synthetic based Hydraulic Fluid specially developed for recent vehicles fitted with hydraulic systems such as power steering, hydraulic dampers and hydraulic hard top.

This product is particularly recommended to be use with the following European OEM's: VW (VAG), AUDI, PORSCHE, BMW, CITROËN, MERCEDES, MINI, PEUGEOT, VOLVO, SAAB and American: FORD, GENERAL MOTORS-OPEL.

Do not use in gearbox.

PERFORMANCES

STANDARDS AND MANUFACTURERS SPECIFICATIONS: **Refer to chart below.**

MOTUL MULTI HF is a high technology lubricant with outstanding performances thanks to its exclusive and dedicated formula which:

- Protects hydraulic pumps heavily loaded.
- Extends life time duration of all systems.
- Provide comfort and noise reduction especially at cold conditions.
- Provide outstanding anti-wear, anti-corrosion and anti-foam properties.

RECOMMENDATIONS

Can be mixed with similar hydraulic lubricants.

Do not use in manual or automatic gearboxes.

Oil change: according to manufacturer's recommendations and adapt according to your own use.

PROPERTIES

Color	Visual	Green
Density at 20°C (68°F)	ASTM1298	0.823
Viscosity at 40°C (104°F)	ASTM D445	18.97 mm ² /s
Viscosity at 100°C (212°F)	ASTM D445	6.17 mm ² /s
Viscosity Index	ASTM D2270	328
Flash Point	ASTM D92	155°C / 311°F

We retain the right to modify the general characteristics of our products in order to offer to our customers the latest technical development

Product specifications are definitive from the order which is subject to our general conditions of sale and warranty. Made in FRANCE

MOTUL - 119 Bd Félix Faure - 93303 AUBERVILLIERS CEDEX - BP 94 - Tel: 33 1 48 11 70 00 - Fax: 33 1 48 33 28 79 - Web Site: www.motul.com

03/14

MULTI HF

OEM Group	Specification
Audi (VAG)	G 002 000-A2, G 004 000-M2, TL 52 146
Bentley	TH 5000, RH 5000
BMW	# 81 22 9 407 758, # 82 11 1 468 041, # 82 11 0 148 132, # 83 29 0 429 576
Chrysler	MS 11655, MS 10838, MS 5931
Citroën	# 99 7969, Total Fluide DA, Total Fluide LDS
Fendt	X 902 011 622
Fiat	Tutela GI/R, 9.55550-SA1
Ford	WSS M2C 204 A
General Motors	GM 1940 715 / 766, B 040 0070
Man	M 3289 (3623/93)
Mercedes Benz	MB 345.0, Q 1 32 0001, # 001 989 24 03 10, # 001 989 24 03 12
Mini	# 81 22 9 407 758, # 82 11 1 468 041, # 82 11 0 148 132, # 83 29 0 429 576
Peugeot	H 50126, # 9730 A5, # 9979 A4, Total Fluide DA, Total Fluide LDS
Porsche	# 000 043 203 33, # 000 043 206 56
Saab	# 3032 380
Volvo	# 11 61 529, # 1273 36
VW (VAG)	G 002 000-A2, G 004 000-M2, TL 52 146
Standards	Specification
DIN	51 524 T2, 51 524 T3
ZF	TE-ML 02K
Products	Specification
Agip	CHF
Castrol	CHF
Chevron	PSF 9109
Fuchs	TITAN ZH 4300 B, TITAN ZH 3044
Igol	BLOCK DA
Mopar	MS-11655
Pentosin	CHF 11S, CHF 202
Petronas	Tutela GI/R, Tutela CS Speed
Selenia	Tutela GI/R, Tutela CS Speed
Texaco	PSF 9109
Total	Fluide DA, Fluide LDS
Unil-Opal	LDA

We retain the right to modify the general characteristics of our products in order to offer to our customers the latest technical development

Product specifications are definitive from the order which is subject to our general conditions of sale and warranty. Made in FRANCE

MOTUL - 119 Bd Félix Faure - 93303 AUBERVILLIERS CEDEX - BP 94 - Tel: 33 1 48 11 70 00 - Fax: 33 1 48 33 28 79 - Web Site: www.motul.com